Author Index Vol. 666

Abbott, F.S., see Yu, D. 666(1995)269
Abe, A., see Yamane, M. 666(1995)197
Adlkofer, F., see Ruppert, T. 666(1995)71
Agadir, A., see Lefebvre, P. 666(1995)55
Anderson, D., see Liu, B. 666(1995)149
Aoki, I., see Kondo, T. 666(1995)291
Axelsson, B.-O., Saraf, A. and Larsson, L.
Determination of ergosterol in organic dust by gas chromatography–mass spectrometry 666(1995)77
Benet, L.Z., see Haj-Yehia, A.I. 666(1995)45
Berliz, G., Wintersteiger, R. and Pacha, W.
Determination of a novel xanthine derivative, MKS 213-492, in plasma by high-performance liquid chromatography with electrochemical detection 666(1995)368
Blackwell, W., see Dasgupta, A. 666(1995)63
Boerbooms, A.M.Th., see Stolk, J.N. 666(1995)33
Boos, K.-S., see Vielhauer, S. 666(1995)315
Bowyer, J.F., Clausing, P. and Newport, G.D.
Determination of d-amphetamine in biological samples using high-performance liquid chromatography after precolumn derivatization with *o*-phthaldialdehyde and 3-mercaptopropionic acid 666(1995)241
Brinkman, U.A.Th., see Herráez-Hernández, R. 666(1995)127
Browder, I.W., see Müller, A. 666(1995)283
Brown, D.S., see Marcé, M. 666(1995)329
Cairns, A.M., Chiou, R.H.-Y., Rogers, J.D. and Demetriades, J.L.
Enantioselective high-performance liquid chromatographic determination of omeprazole in human plasma 666(1995)323
Cámara, C., see Martín, I. 666(1995)101
Capell, T., see Marcé, M. 666(1995)329
Chan, W.-K., see Hu, O.Y.-P. 666(1995)299
Chavez, C., see Constanzer, M. 666(1995)117
Chen, S. and Claeys, M.
Approach to the large-scale preparation of highly pure phosphatidylserine from bovine brain 666(1995)178
Chiou, R.H.-Y., see Cairns, A.M. 666(1995)323
Chomienne, C., see Lefebvre, P. 666(1995)55
Claeys, M., see Chen, S. 666(1995)178
Clausing, P., see Bowyer, J.F. 666(1995)241
Constanzer, M., Chavez, C. and Matuszewski, B.
Development and comparison of high-performance liquid chromatographic methods with tandem mass spectrometric and ultraviolet absorbance detection for the determination of cyclobenzaprine in human plasma and urine 666(1995)117
Cornic, M., see Lefebvre, P. 666(1995)55
Corvol, M., see De Ceuninck, F. 666(1995)203
Dasgupta, A., Blackwell, W., Griego, J. and Malik, S.
Gas chromatographic–mass spectrometric identification and quantitation of ethylene glycol in serum after derivatization with perfluorooctanoyl chloride: a novel derivative 666(1995)63
De Abreu, R.A., see Stolk, J.N. 666(1995)33
De Ceuninck, F., Willeput, J. and Corvol, M.
Purification and characterization of insulin-like growth factor II (IGF II) and an IGF II variant from human placenta 666(1995)203
Degos, L., see Lefebvre, P. 666(1995)55
De Graaf, R., see Stolk, J.N. 666(1995)33
De Koning, D.G.M., see Stolk, J.N. 666(1995)33
Demetriades, J.L., see Cairns, A.M. 666(1995)323
Denizli, A. and Pişkin, E.
DNA-immobilized polyhydroxyethylmethacrylate microbeads for affinity sorption of human immunoglobulin G and anti-DNA antibodies 666(1995)215
De Takats, P.G., see Liu, B. 666(1995)149
Dick, R., see Zimmerli, B. 666(1995)85
Dobrinska, M.R., see Dru, J.D.-Y. 666(1995)259
Doyle, E., see Torchio, L. 666(1995)169
Dreux, C., see Lefebvre, P. 666(1995)55
Dru, J.D.-Y., Hsieh, J.Y.-K., Matuszewski, B.K. and Dobrinska, M.R.
Determination of felodipine, its enantiomers, and a pyridine metabolite in human plasma by capillary gas chromatography with mass spectrometric detection 666(1995)259
Eichelbaum, M., see Engel, G. 666(1995)111
Engel, G., Hofmann, U. and Eichelbaum, M.
Highly sensitive and specific gas chromatographic–tandem mass spectrometric method for the determination of trace amounts of antipyrine metabolites in biological material 666(1995)111
Fazli, F.R.Y., see Siddiqui, F.Q. 666(1995)342
Fenton, T.W., see McAllister, T.A. 666(1995)336
Ferry, D.R., see Liu, B. 666(1995)149
Figueras, X., see Marcé, M. 666(1995)329
Gallo, J.M., see Qian, M. 666(1995)307
Gey, M.H. and Unger, K.K.
Calculation of the molecular masses of two newly synthesized thermostable enzymes isolated from thermophilic microorganisms 666(1995)188
Gómez, M., see Martín, I. 666(1995)101
Gordon, J.D., see Yu, D. 666(1995)269
Gourmel, B., see Lefebvre, P. 666(1995)55
Griego, J., see Dasgupta, A. 666(1995)63
Gupta, R.N.
Pharmaceutical and Biomedical Applications of Liquid Chromatography (edited by C.M. Riley, W.J. Lough and I.W. Wainer) (Book Review) 666(1995)194
Guyonnet, J., Richard, M. and Hellings, Ph.
Determination of fumagillin in muscle tissue of rainbow trout using automated ion-pairing liquid chromatography 666(1995)354
Haj-Yehia, A.I. and Benet, L.Z.
2-(4-N-Maleimidophenyl)-6-methoxybenzofuran: a superior derivatizing agent for fluorimetric determination of aliphatic thiols by high-performance liquid chromatography 666(1995)45
Hamasaki, K., see Kondo, T. 666(1995)291

Author Index Vol. 666

Abbott, F.S., see Yu, D. 666(1995)269
Abe, A., see Yamane, M. 666(1995)197
Adlkofer, F., see Ruppert, T. 666(1995)71
Agadir, A., see Lefebvre, P. 666(1995)55
Anderson, D., see Liu, B. 666(1995)149
Aoki, I., see Kondo, T. 666(1995)291
Axelsson, B.-O., Saraf, A. and Larsson, L.
Determination of ergosterol in organic dust by gas chromatography–mass spectrometry 666(1995)77
Benet, L.Z., see Haj-Yehia, A.I. 666(1995)45
Berliz, G., Wintersteiger, R. and Pacha, W.
Determination of a novel xanthine derivative, MKS 213-492, in plasma by high-performance liquid chromatography with electrochemical detection 666(1995)368
Blackwell, W., see Dasgupta, A. 666(1995)63
Boerbooms, A.M.Th., see Stolk, J.N. 666(1995)33
Boos, K.-S., see Vielhauer, S. 666(1995)315
Bowyer, J.F., Clausing, P. and Newport, G.D.
Determination of d-amphetamine in biological samples using high-performance liquid chromatography after precolumn derivatization with *o*-phthaldialdehyde and 3-mercaptopropionic acid 666(1995)241
Brinkman, U.A.Th., see Herráez-Hernández, R. 666(1995)127
Browder, I.W., see Müller, A. 666(1995)283
Brown, D.S., see Marcé, M. 666(1995)329
Cairns, A.M., Chiou, R.H.-Y., Rogers, J.D. and Demetriades, J.L.
Enantioselective high-performance liquid chromatographic determination of omeprazole in human plasma 666(1995)323
Cámara, C., see Martín, I. 666(1995)101
Capell, T., see Marcé, M. 666(1995)329
Chan, W.-K., see Hu, O.Y.-P. 666(1995)299
Chavez, C., see Constanzer, M. 666(1995)117
Chen, S. and Claeys, M.
Approach to the large-scale preparation of highly pure phosphatidylserine from bovine brain 666(1995)178
Chiou, R.H.-Y., see Cairns, A.M. 666(1995)323
Chomienne, C., see Lefebvre, P. 666(1995)55
Claeys, M., see Chen, S. 666(1995)178
Clausing, P., see Bowyer, J.F. 666(1995)241
Constanzer, M., Chavez, C. and Matuszewski, B.
Development and comparison of high-performance liquid chromatographic methods with tandem mass spectrometric and ultraviolet absorbance detection for the determination of cyclobenzaprine in human plasma and urine 666(1995)117
Cornic, M., see Lefebvre, P. 666(1995)55
Corvol, M., see De Ceuninck, F. 666(1995)203
Dasgupta, A., Blackwell, W., Griego, J. and Malik, S.
Gas chromatographic–mass spectrometric identification and quantitation of ethylene glycol in serum after derivatization with perfluorooctanoyl chloride: a novel derivative 666(1995)63
De Abreu, R.A., see Stolk, J.N. 666(1995)33
De Ceuninck, F., Willeput, J. and Corvol, M.
Purification and characterization of insulin-like growth factor II (IGF II) and an IGF II variant from human placenta 666(1995)203
Degos, L., see Lefebvre, P. 666(1995)55
De Graaf, R., see Stolk, J.N. 666(1995)33
De Koning, D.G.M., see Stolk, J.N. 666(1995)33
Demetriades, J.L., see Cairns, A.M. 666(1995)323
Denizli, A. and Pişkin, E.
DNA-immobilized polyhydroxyethylmethacrylate microbeads for affinity sorption of human immunoglobulin G and anti-DNA antibodies 666(1995)215
De Takats, P.G., see Liu, B. 666(1995)149
Dick, R., see Zimmerli, B. 666(1995)85
Dobrinska, M.R., see Dru, J.D.-Y. 666(1995)259
Doyle, E., see Torchio, L. 666(1995)169
Dreux, C., see Lefebvre, P. 666(1995)55
Dru, J.D.-Y., Hsieh, J.Y.-K., Matuszewski, B.K. and Dobrinska, M.R.
Determination of felodipine, its enantiomers, and a pyridine metabolite in human plasma by capillary gas chromatography with mass spectrometric detection 666(1995)259
Eichelbaum, M., see Engel, G. 666(1995)111
Engel, G., Hofmann, U. and Eichelbaum, M.
Highly sensitive and specific gas chromatographic–tandem mass spectrometric method for the determination of trace amounts of antipyrine metabolites in biological material 666(1995)111
Fazli, F.R.Y., see Siddiqui, F.Q. 666(1995)342
Fenton, T.W., see McAllister, T.A. 666(1995)336
Ferry, D.R., see Liu, B. 666(1995)149
Figueras, X., see Marcé, M. 666(1995)329
Gallo, J.M., see Qian, M. 666(1995)307
Gey, M.H. and Unger, K.K.
Calculation of the molecular masses of two newly synthesized thermostable enzymes isolated from thermophilic microorganisms 666(1995)188
Gómez, M., see Martín, I. 666(1995)101
Gordon, J.D., see Yu, D. 666(1995)269
Gourmel, B., see Lefebvre, P. 666(1995)55
Griego, J., see Dasgupta, A. 666(1995)63
Gupta, R.N.
Pharmaceutical and Biomedical Applications of Liquid Chromatography (edited by C.M. Riley, W.J. Lough and I.W. Wainer) (Book Review) 666(1995)194
Guyonnet, J., Richard, M. and Hellings, Ph.
Determination of fumagillin in muscle tissue of rainbow trout using automated ion-pairing liquid chromatography 666(1995)354
Haj-Yehia, A.I. and Benet, L.Z.
2-(4-N-Maleimidophenyl)-6-methoxybenzofuran: a superior derivatizing agent for fluorimetric determination of aliphatic thiols by high-performance liquid chromatography 666(1995)45
Hamasaki, K., see Kondo, T. 666(1995)291

Hege, H.G., see Velic, I. 666(1995)139
Hellings, Ph., see Guyonnet, J. 666(1995)354
Herráez-Hernández, R., Van de Merbel, N.C. and Brinkman, U.A.Th.
Determination of the total concentration of highly protein-bound drugs in plasma by on-line dialysis and column liquid chromatography: application to non-steroidal anti-inflammatory drugs 666(1995)127
Hofmann, U., see Engel, G. 666(1995)111
Hoppel, C.L., see Ingalls, S.T. 666(1995)1
Hsieh, J.Y.-K., see Dru, J.D.-Y. 666(1995)259
Huber, J.F.K. and Lamprecht, G.
Assay of neopterin in serum by means of two-dimensional high-performance liquid chromatography with automated column switching using three retention mechanisms 666(1995)223
Hu, O.Y.-P., Wu, C.-Y., Chan, W.-K. and Wu, F.Y.-H.
Determination of anticancer drug vitamin K_3 in plasma by high-performance liquid chromatography 666(1995)299
Hue, B., see Lefebvre, P. 666(1995)55
Ingalls, S.T., Xu, Y. and Hoppel, C.L.
Determination of plasma non-esterified fatty acids and triglyceride fatty acids by gas chromatography of their methyl esters after isolation by column chromatography on silica gel 666(1995)1
Itoh, M., see Suzuki, K.T. 666(1995)13
Jemal, M., Patel, A. and Teitz, D.S.
Direct injection for high sample throughput capillary gas chromatographic–mass spectrometric bioanalysis 666(1995)251
Jones, E.L., see Müller, A. 666(1995)283
Kerr, D.J., see Liu, B. 666(1995)149
Kerstens, P.J.S.M., see Stolk, J.N. 666(1995)33
Kinoshita, H., see Shibusawa, Y. 666(1995)233
Kondo, T., Hamasaki, K., Yamaguchi, M., Aoki, I., Yoshida, K., Yoshimura, Y. and Tanayama, S.
Enantioselective determination of pazinaclone, a new isoindoline anxiolytic, and its active metabolite in rat plasma by high-performance liquid chromatography 666(1995)291
Kugler, A.R., Olson, S.C. and Smith, D.E.
Determination of quinapril and quinaprilat by high-performance liquid chromatography with radiochemical detection, coupled to liquid scintillation counting spectrometry 666(1995)360
Lamprecht, G., see Huber, J.F.K. 666(1995)223
Larsson, L., see Axelsson, B.-O. 666(1995)77
Lefebvre, P., Agadir, A., Cornic, M., Gourmel, B., Hue, B., Dreux, C., Degos, L. and Chomienne, C.
Simultaneous determination of all-*trans* and 13-*cis* retinoic acids and their 4-oxo metabolites by adsorption liquid chromatography after solid-phase extraction 666(1995)55
Liu, B., Anderson, D., Ferry, D.R., Seymour, L.W., De Takats, P.G. and Kerr, D.J.
Determination of quercetin in human plasma using reversed-phase high-performance liquid chromatography 666(1995)149
Lombardi, F., see Torchio, L. 666(1995)169
López-Gonzálvez, M.A., see Martín, I. 666(1995)101
Malik, F., see Siddiqui, F.Q. 666(1995)342
Malik, S., see Dasgupta, A. 666(1995)63
Marcé, M., Brown, D.S., Capell, T., Figueras, X. and Tiburcio, A.F.
Rapid high-performance liquid chromatographic method for the quantitation of polyamines as their dansyl derivatives: application to plant and animal tissues 666(1995)329
Martín, I., López-Gonzálvez, M.A., Gómez, M., Cámara, C. and Palacios, M.A.
Evaluation of high-performance liquid chromatography for the separation and determination of arsenic species by on-line high-performance liquid chromatographic–hydride generation–atomic absorption spectrometry 666(1995)101
Matsumoto, U., see Shibusawa, Y. 666(1995)233
Matuszewski, B., see Constanzer, M. 666(1995)117
Matuszewski, B.K., see Dru, J.D.-Y. 666(1995)259
McAllister, T.A., Samuels, S.E., Sedgwick, G.W., Fenton, T.W. and Thompson, J.R.
High-performance liquid chromatographic analysis of β-phenylethylamine for the estimation of in vivo protein synthesis 666(1995)336
McNamee, R.B., see Müller, A. 666(1995)283
Metzler, M., see Velic, I. 666(1995)139
Miyaoka, M., see Yamane, M. 666(1995)197
Mount, D.L., Todd, G.D. and Navaratnam, V.
Packed-column supercritical fluid chromatography of artemisinin (qinghaosu) with electron-capture detection 666(1995)183
Müller, A., Pretus, H.A., McNamee, R.B., Jones, E.L., Browder, I.W. and Williams, D.L.
Comparison of the carbohydrate biological response modifiers Krestin, schizophyllan and glucan phosphate by aqueous size exclusion chromatography with in-line argon-ion multi-angle laser light scattering photometry and differential viscometry detectors 666(1995)283
Navaratnam, V., see Mount, D.L. 666(1995)183
Newport, G.D., see Bowyer, J.F. 666(1995)241
O'Dwyer, P.J., see Qian, M. 666(1995)307
Ohmichi, M., see Suzuki, K.T. 666(1995)13
Olson, S.C., see Kugler, A.R. 666(1995)360
Oscarsson, S.
Influence of salts on protein interactions at interfaces of amphiphilic polymers and adsorbents 666(1995)21
Pacha, W., see Berliz, G. 666(1995)368
Palacios, M.A., see Martín, I. 666(1995)101
Panesar, S.K., see Yu, D. 666(1995)269
Patel, A., see Jemal, M. 666(1995)251
Phillips, L.R., see Supko, J.G. 666(1995)157
Pişkin, E., see Denizli, A. 666(1995)215
Pretus, H.A., see Müller, A. 666(1995)283
Qian, M., O'Dwyer, P.J. and Gallo, J.M.
High-performance liquid chromatographic method for the determination of AG-331, a novel anti-cancer agent, in human serum and urine using solid-phase extraction and photodiode-array detection 666(1995)307
Rauscher, D., see Ruppert, T. 666(1995)71
Richard, M., see Guyonnet, J. 666(1995)354
Riggs, K.W., see Yu, D. 666(1995)269

Rogers, J.D., see Cairns, A.M. 666(1995)323
Rudolphi, A., see Vielhauer, S. 666(1995)315
Ruppert, T., Scherer, G., Tricker, A.R., Rauscher, D. and Adlkofer, F.
Determination of urinary *trans,trans*-muconic acid by gas chromatography–mass spectrometry 666(1995)71
Rurak, D.W., see Yu, D. 666(1995)269
Saitoh, T., see Yamane, M. 666(1995)197
Samuels, S.E., see McAllister, T.A. 666(1995)336
Saraf, A., see Axelsson, B.-O. 666(1995)77
Scherer, G., see Ruppert, T. 666(1995)71
Sedgwick, G.W., see McAllister, T.A. 666(1995)336
Seidel, D., see Vielhauer, S. 666(1995)315
Seymour, L.W., see Liu, B. 666(1995)149
Shibusawa, Y., Suzuki, K., Kinoshita, H. and Matsumoto, U.
Selective separation of human peripheral platelets, granulocytes and lymphocytes by surface affinity chromatography 666(1995)233
Shimizu, S., see Yamane, M. 666(1995)197
Siddiqui, F.Q., Malik, F. and Fazli, F.R.Y.
Determination of serum retinol by reversed-phase high-performance liquid chromatography 666(1995)342
Smith, D.E., see Kugler, A.R. 666(1995)360
Stolk, J.N., De Abreu, R.A., Boerbooms, A.M.Th., De Koning, D.G.M., De Graaf, R., Kerstens, P.J.S.M. and Van de Putte, L.B.A.
Purine enzyme activities in peripheral blood mononuclear cells: comparison of a new non-radiochemical high-performance liquid chromatography procedure and a radiochemical thin-layer chromatography procedure 666(1995)33
Sugiura, H., see Yamane, M. 666(1995)197
Supko, J.G. and Phillips, L.R.
High-performance liquid chromatographic assay for genistein in biological fluids 666(1995)157
Suzuki, K., see Shibusawa, Y. 666(1995)233
Suzuki, K.T., Itoh, M. and Ohmichi, M.
Detection of selenium-containing biological constituents by high-performance liquid chromatography–plasma source mass spectrometry 666(1995)13
Tanayama, S., see Kondo, T. 666(1995)291
Teitz, D.S., see Jemal, M. 666(1995)251
Thompson, J.R., see McAllister, T.A. 666(1995)336
Tiburcio, A.F., see Marcé, M. 666(1995)329
Todd, G.D., see Mount, D.L. 666(1995)183
Torchio, L., Lombardi, F., Visconti, M. and Doyle, E.
Determination of the polar drug dimiracetam in human plasma and serum by column-switching high-performance liquid chromatography 666(1995)169
Tricker, A.R., see Ruppert, T. 666(1995)71
Unger, K.K., see Gey, M.H. 666(1995)188
Van de Merbel, N.C., see Herráez-Hernández, R. 666(1995)127
Van de Putte, L.B.A., see Stolk, J.N. 666(1995)33
Velic, I., Metzler, M., Hege, H.G. and Weymann, J.
Separation and identification of phase I and phase II [^{14}C]antipyrine metabolites in rat and dog urine 666(1995)139
Vielhauer, S., Rudolphi, A., Boos, K.-S. and Seidel, D.
Evaluation and routine application of the novel restricted-access precolumn packing material Alkyl-Diol Silica: coupled-column high-performance liquid chromatographic analysis of the photoreactive drug 8-methoxypsoralen in plasma 666(1995)315
Visconti, M., see Torchio, L. 666(1995)169
Volin, P.
Simple and specific reversed-phase liquid chromatographic method with diode-array detection for simultaneous determination of serum hydroxychloroquine, chloroquine and some corticosteroids 666(1995)347
Weymann, J., see Velic, I. 666(1995)139
Willeput, J., see De Ceuninck, F. 666(1995)203
Williams, D.L., see Müller, A. 666(1995)283
Wintersteiger, R., see Berliz, G. 666(1995)368
Wu, C.-Y., see Hu, O.Y.-P. 666(1995)299
Wu, F.Y.-H., see Hu, O.Y.-P. 666(1995)299
Xu, Y., see Ingalls, S.T. 666(1995)1
Yamaguchi, M., see Kondo, T. 666(1995)291
Yamane, M., Shimizu, S., Abe, A., Sugiura, H., Miyaoka, M. and Saitoh, T.
High-performance liquid chromatography–thermospray mass spectrometry of ω-carboxyleukotriene B_4 and ω-hydroxyleukotriene B_4 from an incubation mixture of human colonic well-differentiated adenocarcinoma homogenate 666(1995)197
Yoshida, K., see Kondo, T. 666(1995)291
Yoshimura, Y., see Kondo, T. 666(1995)291
Yu, D., Gordon, J.D., Zheng, J., Panesar, S.K., Riggs, K.W., Rurak, D.W. and Abbott, F.S.
Determination of valproic acid and its metabolites using gas chromatography with mass-selective detection: application to serum and urine samples from sheep 666(1995)269
Zheng, J., see Yu, D. 666(1995)269
Zimmerli, B. and Dick, R.
Determination of ochratoxin A at the ppt level in human blood, serum, milk and some foodstuffs by high-performance liquid chromatography with enhanced fluorescence detection and immunoaffinity column cleanup: methodology and Swiss data 666(1995)85

Compound Index Vol. 666

AG-331
High-performance liquid chromatographic method for the determination of AG-331, a novel anti-cancer agent, in human serum and urine using solid-phase extraction and photodiode-array detection 666(1995)307

Albumin
Influence of salts on protein interactions at interfaces of amphiphilic polymers and adsorbents 666(1995)21

All-*trans*-retinoic acid
Simultaneous determination of all-*trans* and 13-*cis* retinoic acids and their 4-oxo metabolites by adsorption liquid chromatography after solid-phase extraction 666(1995)55

Amphetamine
Determination of d-amphetamine in biological samples using high-performance liquid chromatography after precolumn derivatization with *o*-phthaldialdehyde and 3-mercaptopropionic acid 666(1995)241

Antipyrine
Highly sensitive and specific gas chromatographic–tandem mass spectrometric method for the determination of trace amounts of antipyrine metabolites in biological material 666(1995)111

Separation and identification of phase I and phase II [^{14}C]antipyrine metabolites in rat and dog urine 666(1995)139

Arachidonic acid
Determination of plasma non-esterified fatty acids and triglyceride fatty acids by gas chromatography of their methyl esters after isolation by column chromatography on silica gel 666(1995)1

Arsenate
Evaluation of high-performance liquid chromatography for the separation and determination of arsenic species by on-line high-performance liquid chromatographic–hydride generation–atomic absorption spectrometry 666(1995)101

Arsenite
Evaluation of high-performance liquid chromatography for the separation and determination of arsenic species by on-line high-performance liquid chromatographic–hydride generation–atomic absorption spectrometry 666(1995)101

Arsenobetaine
Evaluation of high-performance liquid chromatography for the separation and determination of arsenic species by on-line high-performance liquid chromatographic–hydride generation–atomic absorption spectrometry 666(1995)101

Arsenocholine
Evaluation of high-performance liquid chromatography for the separation and determination of arsenic species by on-line high-performance liquid chromatographic–hydride generation–atomic absorption spectrometry 666(1995)101

Artemisinin
Packed-column supercritical fluid chromatography of artemisinin (qinghaosu) with electron-capture detection 666(1995)183

Cadaverine
Rapid high-performance liquid chromatographic method for the quantitation of polyamines as their dansyl derivatives: application to plant and animal tissues 666(1995)329

ω-Carboxyleukotriene B_4
High-performance liquid chromatography–thermospray mass spectrometry of ω-carboxyleukotriene B_4 and ω-hydroxyleukotriene B_4 from an incubation mixture of human colonic well-differentiated adenocarcinoma homogenate 666(1995)197

Chloroquine
Simple and specific reversed-phase liquid chromatographic method with diode-array detection for simultaneous determination of serum hydroxychloroquine, chloroquine and some corticosteroids 666(1995)347

Corticosteroids
Simple and specific reversed-phase liquid chromatographic method with diode-array detection for simultaneous determination of serum hydroxychloroquine, chloroquine and some corticosteroids 666(1995)347

Cyclobenzaprine
Development and comparison of high-performance liquid chromatographic methods with tandem mass spectrometric and ultraviolet absorbance detection for the determination of cyclobenzaprine in human plasma and urine 666(1995)117

Cysteine
2-(4-N-Maleimidophenyl)-6-methoxybenzofuran: a superior derivatizing agent for fluorimetric determination of aliphatic thiols by high-performance liquid chromatography 666(1995)45

1,3-Diaminopropane
Rapid high-performance liquid chromatographic method for the quantitation of polyamines as their dansyl derivatives: application to plant and animal tissues 666(1995)329

4,4′-Dihydroxyantipyrine
Separation and identification of phase I and phase II [^{14}C]antipyrine metabolites in rat and dog urine 666(1995)139

Dimethylarsinate
Evaluation of high-performance liquid chromatography for the separation and determination of arsenic species by on-line high-performance liquid chromatographic–hydride generation–atomic absorption spectrometry 666(1995)101

Dimiracetam
Determination of the polar drug dimiracetam in human plasma and serum by column-switching high-performance liquid chromatography 666(1995)169

DNA
DNA-immobilized polyhydroxyethylmethacrylate microbeads for affinity sorption of human immunoglobulin G and anti-DNA antibodies 666(1995)215

Enzymes
Purine enzyme activities in peripheral blood mononuclear cells: comparison of a new non-radiochemical high-performance liquid chromatography procedure and a radiochemical thin-layer chromatography procedure 666(1995)33

Calculation of the molecular masses of two newly synthesized thermostable enzymes isolated from thermophilic microorganisms 666(1995)188

Ergosterol
Determination of ergosterol in organic dust by gas chromatography–mass spectrometry 666(1995)77

Ethylene glycol
Gas chromatographic–mass spectrometric identification and quantitation of ethylene glycol in serum after derivatization with perfluorooctanoyl chloride: a novel derivative 666(1995)63

N-Ethyl-3-(2-pyridyldisulfanyl)propionamide
Influence of salts on protein interactions at interfaces of amphiphilic polymers and adsorbents 666(1995)21

Fatty acids
Determination of plasma non-esterified fatty acids and triglyceride fatty acids by gas chromatography of their methyl esters after isolation by column chromatography on silica gel 666(1995)1

Felodipine
Determination of felodipine, its enantiomers, and a pyridine metabolite in human plasma by capillary gas chromatography with mass spectrometric detection 666(1995)259

Fenprofen
Determination of the total concentration of highly protein-bound drugs in plasma by on-line dialysis and column liquid chromatography: application to non-steroidal anti-inflammatory drugs 666(1995)127

Flavonoids
Determination of quercetin in human plasma using reversed-phase high-performance liquid chromatography 666(1995)149

Flurbiprofen
Determination of the total concentration of highly protein-bound drugs in plasma by on-line dialysis and column liquid chromatography: application to non-steroidal anti-inflammatory drugs 666(1995)127

Fumagillin
Determination of fumagillin in muscle tissue of rainbow trout using automated ion-pairing liquid chromatography 666(1995)354

β-Galactosidase
Calculation of the molecular masses of two newly synthesized thermostable enzymes isolated from thermophilic microorganisms 666(1995)188

Genistein
High-performance liquid chromatographic assay for genistein in biological fluids 666(1995)157

Glucan phosphate
Comparison of the carbohydrate biological response modifiers Krestin, schizophyllan and glucan phosphate by aqueous size exclusion chromatography with in-line argon-ion multi-angle laser light scattering photometry and differential viscometry detectors 666(1995)283

Glutathione
2-(4-N-Maleimidophenyl)-6-methoxybenzofuran: a superior derivatizing agent for fluorimetric determination of aliphatic thiols by high-performance liquid chromatography 666(1995)45

4-Hydroxyantipyrine
Highly sensitive and specific gas chromatographic–tandem mass spectrometric method for the determination of trace amounts of antipyrine metabolites in biological material 666(1995)111

Separation and identification of phase I and phase II [^{14}C]antipyrine metabolites in rat and dog urine 666(1995)139

Hydroxychloroquine
Simple and specific reversed-phase liquid chromatographic method with diode-array detection for simultaneous determination of serum hydroxychloroquine, chloroquine and some corticosteroids 666(1995)347

ω-Hydroxyleukotriene B_4
High-performance liquid chromatography–thermospray mass spectrometry of ω-carboxyleukotriene B_4 and ω-hydroxyleukotriene B_4 from an incubation mixture of human colonic well-differentiated adenocarcinoma homogenate 666(1995)197

3-Hydroxymethylantipyrine
Highly sensitive and specific gas chromatographic–tandem mass spectrometric method for the determination of trace amounts of antipyrine metabolites in biological material 666(1995)111

Separation and identification of phase I and phase II [^{14}C]antipyrine metabolites in rat and dog urine 666(1995)139

3-Hydroxynorantipyrine
Separation and identification of phase I and phase II [^{14}C]antipyrine metabolites in rat and dog urine 666(1995)139

Hypoxanthine guanine phosphoribosyltransferase
Purine enzyme activities in peripheral blood mononuclear cells: comparison of a new non-radiochemical high-performance liquid chromatography procedure and a radiochemical thin-layer chromatography procedure 666(1995)33

Ibuprofen
Determination of the total concentration of highly protein-bound drugs in plasma by on-line dialysis and column liquid chromatography: application to non-steroidal anti-inflammatory drugs 666(1995)127

Immunoglobulin G
DNA-immobilized polyhydroxyethylmethacrylate microbeads for affinity sorption of human immunoglobulin G and anti-DNA antibodies 666(1995)215

Insulin-like growth factor II
Purification and characterization of insulin-like growth factor II (IGF II) and an IGF II variant from human placenta 666(1995)203

Ketoprofen
Determination of the total concentration of highly protein-bound drugs in plasma by on-line dialysis and column liquid chromatography: application to non-steroidal anti-inflammatory drugs 666(1995)127

Krestin
Comparison of the carbohydrate biological response modifiers Krestin, schizophyllan and glucan phosphate by aqueous size exclusion chromatography with in-line argon-ion multi-angle laser light scattering photometry and differential viscometry detectors 666(1995)283

Leukotrienes
High-performance liquid chromatography–thermospray mass spectrometry of ω-carboxyleukotriene B_4 and ω-hydroxyleukotriene B_4 from an incubation mixture of human colonic well-differentiated adenocarcinoma homogenate 666(1995)197

Lipids
Determination of plasma non-esterified fatty acids and triglyceride fatty acids by gas chromatography of their methyl esters after isolation by column chromatography on silica gel 666(1995)1

2-(4-N-Maleimidophenyl)-6-methoxybenzofuran
2-(4-N-Maleimidophenyl)-6-methoxybenzofuran: a superior derivatizing agent for fluorimetric determination of aliphatic thiols by high-performance liquid chromatography 666(1995)45

8-Methoxypsoralen
Evaluation and routine application of the novel restricted-access precolumn packing material Alkyl-Diol Silica: coupled-column high-performance liquid chromatographic analysis of the photoreactive drug 8-methoxypsoralen in plasma 666(1995)315

MKS 213-492
Determination of a novel xanthine derivative, MKS 213-492, in plasma by high-performance liquid chromatography with electrochemical detection 666(1995)368

Monomethylarsonate
Evaluation of high-performance liquid chromatography for the separation and determination of arsenic species by on-line high-performance liquid chromatographic–hydride generation–atomic absorption spectrometry 666(1995)101

***trans,trans*-Muconic acid**
Determination of urinary *trans,trans*-muconic acid by gas chromatography–mass spectrometry 666(1995)71

Naproxen
Determination of the total concentration of highly protein-bound drugs in plasma by on-line dialysis and column liquid chromatography: application to non-steroidal anti-inflammatory drugs 666(1995)127

Neopterin
Assay of neopterin in serum by means of two-dimensional high-performance liquid chromatography with automated column switching using three retention mechanisms 666(1995)223

Non-esterified fatty acids
Determination of plasma non-esterified fatty acids and triglyceride fatty acids by gas chromatography of their methyl esters after isolation by column chromatography on silica gel 666(1995)1

Norantipyrine
Highly sensitive and specific gas chromatographic–tandem mass spectrometric method for the determination of trace amounts of antipyrine metabolites in biological material 666(1995)111

Separation and identification of phase I and phase II [^{14}C]antipyrine metabolites in rat and dog urine 666(1995)139

Ochratoxin A
Determination of ochratoxin A at the ppt level in human blood, serum, milk and some foodstuffs by high-performance liquid chromatography with enhanced fluorescence detection and immunoaffinity column cleanup: methodology and Swiss data 666(1995)85

Omeprazole
Enantioselective high-performance liquid chromatographic determination of omeprazole in human plasma 666(1995)323

Pazinaclone
Enantioselective determination of pazinaclone, a new isoindoline anxiolytic, and its active metabolite in rat plasma by high-performance liquid chromatography 666(1995)291

Peptides
Purification and characterization of insulin-like growth factor II (IGF II) and an IGF II variant from human placenta 666(1995)203

Perfluorooctanoyl chloride
Gas chromatographic–mass spectrometric identification and quantitation of ethylene glycol in serum after derivatization with perfluorooctanoyl chloride: a novel derivative 666(1995)63

Phenazone
Highly sensitive and specific gas chromatographic–tandem mass spectrometric method for the determination of trace amounts of antipyrine metabolites in biological material 666(1995)111

β-Phenylethylamine
High-performance liquid chromatographic analysis of β-phenylethylamine for the estimation of in vivo protein synthesis 666(1995)336

Phosphatidylserine
Approach to the large-scale preparation of highly pure phosphatidylserine from bovine brain 666(1995)178

Plasma lipids
Determination of plasma non-esterified fatty acids and triglyceride fatty acids by gas chromatography of their methyl esters after isolation by column chromatography on silica gel 666(1995)1

Polyamines
Rapid high-performance liquid chromatographic method for the quantitation of polyamines as their dansyl derivatives: application to plant and animal tissues 666(1995)329

Polyhydroxyethylmethacrylate
DNA-immobilized polyhydroxyethylmethacrylate microbeads for affinity sorption of human immunoglobulin G and anti-DNA antibodies 666(1995)215

Protease
Calculation of the molecular masses of two newly synthesized thermostable enzymes isolated from thermophilic microorganisms 666(1995)188

Proteins
Influence of salts on protein interactions at interfaces of amphiphilic polymers and adsorbents 666(1995)21

Purine nucleoside phosphorylase
Purine enzyme activities in peripheral blood mononuclear cells: comparison of a new non-radiochemical high-performance liquid chromatography procedure and a radiochemical thin-layer chromatography procedure 666(1995)33

Purine 5′-nucleotidase
Purine enzyme activities in peripheral blood mononuclear cells: comparison of a new non-radiochemical high-performance liquid chromatography procedure and a radiochemical thin-layer chromatography procedure 666(1995)33

Putrescine
Rapid high-performance liquid chromatographic method for the quantitation of polyamines as their dansyl derivatives: application to plant and animal tissues 666(1995)329

Qinghaosu
Packed-column supercritical fluid chromatography of artemisinin (qinghaosu) with electron-capture detection 666(1995)183

Quercetin
Determination of quercetin in human plasma using reversed-phase high-performance liquid chromatography 666(1995)149

Quinapril
Determination of quinapril and quinaprilat by high-performance liquid chromatography with radiochemical detection, coupled to liquid scintillation counting spectrometry 666(1995)360

Quinaprilat
Determination of quinapril and quinaprilat by high-performance liquid chromatography with radiochemical detection, coupled to liquid scintillation counting spectrometry 666(1995)360

Retinol
Determination of serum retinol by reversed-phase high-performance liquid chromatography 666(1995)342

Schizophyllan
Comparison of the carbohydrate biological response modifiers Krestin, schizophyllan and glucan phosphate by aqueous size exclusion chromatography with in-line argon-ion multi-angle laser light scattering photometry and differential viscometry detectors 666(1995)283

Selenium
Detection of selenium-containing biological constituents by high-performance liquid chromatography–plasma source mass spectrometry 666(1995)13

Spermine
Rapid high-performance liquid chromatographic method for the quantitation of polyamines as their dansyl derivatives: application to plant and animal tissues 666(1995)329

Steroids
Determination of ergosterol in organic dust by gas chromatography–mass spectrometry 666(1995)77

Simple and specific reversed-phase liquid chromatographic method with diode-array detection for simultaneous determination of serum hydroxychloroquine, chloroquine and some corticosteroids 666(1995)347

Thiols
2-(4-N-Maleimidophenyl)-6-methoxybenzofuran: a superior derivatizing agent for fluorimetric determination of aliphatic thiols by high-performance liquid chromatography 666(1995)45

Thymidylate synthase inhibitor
High-performance liquid chromatographic method for the determination of AG-331, a novel anti-cancer agent, in human serum and urine using solid-phase extraction and photodiode-array detection 666(1995)307

Triglyceride fatty acids
Determination of plasma non-esterified fatty acids and triglyceride fatty acids by gas chromatography of their methyl esters after isolation by column chromatography on silica gel 666(1995)1

Valproic acid
Determination of valproic acid and its metabolites using gas chromatography with mass-selective detection: application to serum and urine samples from sheep 666(1995)269

Vitamin A
Simultaneous determination of all-*trans* and 13-*cis* retinoic acids and their 4-oxo metabolites by adsorption liquid chromatography after solid-phase extraction 666(1995)55

Determination of serum retinol by reversed-phase high-performance liquid chromatography 666(1995)342

Vitamin K_3
Determination of anticancer drug vitamin K_3 in plasma by high-performance liquid chromatography 666(1995)299

Xanthine derivatives
Determination of a novel xanthine derivative, MKS 213-492, in plasma by high-performance liquid chromatography with electrochemical detection 666(1995)368